

2020 C-PROGRAM STREET RESURFACING

**ADDENDUM NO. 1**

February 13, 2020



**City of North Augusta**

- A. This Addendum shall form a part of the bid documents and any contract entered into connection therewith equally as if bound into the specifications.
- B. Acknowledge receipt of the Addendum in the space provided on the Proposal Form. Failure to do so may be subject to disqualification.
- C. Specifications and Drawings previously issued are modified and/or supplemented as hereinafter set forth.

**1. CORRECTION:**

Road number and suffix for Walker Avenue was corrected on pages 24 & 29.

**2. PROJECT MAP:**

A strip map showing the road segments is provided for information.

## ROAD SUMMARY REPORT

ROAD NO.	NAME	FROM	TO	LENGTH	WIDTH	MILL
S-45	Bradleyville Rd	Knox Ave	Norway Dr	0.13	Varies*	N
S-45	Bradleyville Rd	Norway Dr	Womrath Rd	0.15	24**	N
S-45	Bradleyville Rd	Womrath Rd	City Limit	0.60	20	N
S-1739	Winya Dr	Socastee Dr	Waccamaw Dr	0.17	31	Y
S-1535	Wapoo Dr	Waccamaw Dr	Winyah Dr	0.15	31	Y
S-712	Observatory Ave	Martintown Rd	Georgia Ave	0.28	22	N
S-1752	Indian Mound Ave	Medie Ave	Springdale Rd	0.20	30	Y
S-283	Woodlawn Ave	Amherst Dr	Dunbarton Rd	0.13	31	Y
S-1815	Robinson Dr	Martintown Rd	Bolin Rd	0.20	31	Y
S-313	Partridge Ln	Robin Rd	Martintown Rd	0.18	31	Y
S-1509	Austin St	Weston St	Crestlyn Dr	0.18	25	Y
S-986	Walker Ave	Knox Ave	Aiken Ave	0.04	Varies*	N
S-986	Walker Ave	Knox Ave	Aiken Ave	0.06	22	N
				2.47 miles		

\*Includes 36" asphalt raised-edge each side

\*\*Includes 24" asphalt raised-edge each side

<b>Road Name:</b>	Austin St		<b>To:</b>	Crestlyn Dr
<b>From:</b>	Weston St		<b>Width:</b>	25
<b>Total Miles:</b>	0.18		<b>Level:</b>	FDP
	<b>Surface</b>	<b>Driveways</b>		
<b>Rate:</b>	150			
<b>Type:</b>	SCDOT D			
<b>Qty:</b>	203 TON			

Item Description	Quantity	Unit
Mobilization	1	LS
Traffic Control	1	LS
Milling, 6'-Wide, Variable-Depth, 0"-1.5"	1300	SY
HMA Surface Course, Type D	203	TON
Perm. Yel. Pav. Mark Bi-Dir 4"x4"	12	EA
24" White Solid Lines (Stop) – Perm.	14	LF
Pvmt. Marking		
Adjust Water Valve Box	1	EA

**Special Construction Notes:**

Mill variable-depth (0"-1.5") along gutter and at intersections

<b>Road Name:</b>	Walker Ave		<b>To:</b>	Aiken Ave
<b>From:</b>	Knox Ave		<b>Width:</b>	Varies (45-22)
<b>Total Miles:</b>	0.16		<b>Level:</b>	FDP
	<b>Surface</b>	<b>Driveways</b>		
<b>Rate:</b>	150	125		
<b>Type:</b>	SCDOT D			
<b>Qty:</b>	123 TON	13 TON		

Item Description	Quantity	Unit
Mobilization	1	LS
Traffic Control	1	LS
HMA Surface Course, Type D	136	TON
Perm. Yel. Pav. Mark Bi-Dir 4"x4"	7	EA
24" White Solid Lines (Stop) – Perm.	62	LF
Pvmt. Marking		
4" Double-Yellow Solid Lines (Centerline) – Perm. Pvmt. Marking	530	LF
4" White Solid Lane Edge Line	1060	LF
8" White Crosswalk Lines	100	LF
Detectable Warning – Asphalt-Applied	40	SF

**Special Construction Notes:**

Includes 36" asphalt raised-edge, both sides, approx. 135'

