#### Requests for quotes

BID NUMBER: 2016-07 VEHICLE TIRE SERVICE CONTRACT

BID OPENING DATE: April 12, 2016 @ 11:00am

The City of North Augusta, Department of Public Safety is accepting bids for the annual tire service contract to furnish and install GOODYEAR tires on city-owned passenger vehicles. Bids will be accepted until 11:00am on Tuesday, April 12, 2016. Bids are to be mailed to Donna Costello at North Augusta Public Safety, 444 E. Buena Vista Avenue, North Augusta, SC 29841 or may be brought to the Public Safety Headquarters Complex located at 444 E. Buena Vista Avenue, North Augusta, SC 29841. Please mark the outside of these bids clearly with: "BID 2016-07—VEHICLE TIRE SERVICE CONTRACT"

Bids on these items are to include ALL applicable charges including, but is not limited to installation, balancing, disposal fees, freight, shipping, taxes, etc.

Bid prices must be in effect for the period of one year, with the option of extending it for one additional year.

The Owner reserves to right to accept or reject any or all bids and to waive informalities. This contract will not be awarded solely on the basis of the lowest price alone. Other factors will be the service facility location, quality of work, tire quality and response time etc., will be taken into account fefore awarding this contract. The city vehicle fleet consists of approximately 90 vehicles consisting of sedans, light pickup trucks and SUVs.

### **BID PROPOSAL**

Bidder:

Bids on these items are to inc balancing, disposal fees, freig	lude ALL applicable charges including, but not light, shipping, taxes, etc.	mited to installation,
BID ITEM # 1 - PS:		
New blackwall police pursuit ste	el belted radial tire with a speed rating of 130 mph mi	٦.
Tire size: Tread wear rating: Traction rating: Temperature rating:	P225-60-R16 240 minimum A A	
The price for the tire is to include with new valve stem and ALL ap	e: dismounting and disposal of old tire, remounting an oplicable fees and taxes.	d speed balancing of new tire
Goodyear		\$
Manufacturer	Model	Price each
BID ITEM #2 - PS  New blackwall police pursuit ste	el belted radial tire with a speed rating of 118 mph mi	n.
Tire size: Tread wear rating: Traction rating: Temperature rating:	P195-70-R14 300 minimum A B	
The price for the tire is to include with new valve stem and ALL approximately approxi	e: dismounting and disposal of old tire, remounting an oplicable fees and taxes.	d speed balancing of new tire
Goodyear		\$
Manufacturer	Model	Price each

### BID ITEM #3 - PS

Manufacturer	Model	Price each
Goodyear		\$
The price for the tire is to incluwith new valve stem and ALL		tire, remounting and speed balancing of new tire
Tire size: Tread wear rating: Traction rating: Temperature rating:	P235-55-R17 260 minimum A A	
	eel belted radial tire with a speed ra	ting of 130 mph min.
BID ITEM #5 - PS		
Manufacturer	Model	Price each
with new valve stem and ALL a	applicable fees and taxes.	tire, remounting and speed balancing of new tire  \$
Traction rating: Temperature rating:	A A	
Tire size: Tread wear rating:	P235-70-R15 260 minimum	
New blackwall police pursuit st	eel belted radial tire with a speed rat	ting of 130 mph min.
BID ITEM #4 - PS		
Manufacturer	Model	Price each
with new valve stem and ALL a		\$
The price for the tire is to inclu	de: dismounting and disposal of old t	ire, remounting and speed balancing of new tire
Traction rating: A Temperature rating:	A	
Tread wear rating:	P225-60-R16 260 minimum	

New blackwall police pursuit steel belted radial tire with a speed rating of 130 mph min.

## BID ITEM #6 - PS

Tire size: Tread wear rating:	P205-50-R17 260 minimum		
Traction rating:	A		
Temperature rating:	A	•	
The price for the tire is to include with new valve stem and ALL a		I of old tire, remounting and	speed balancing of new tire
Goodyear			\$
Manufacturer	Model		Price each
BID ITEM #7 - PS			
New blackwall police pursuit st	eel belted radial tire with a sp	peed rating of 130 mph min.	
Tire size:	P205-50-ZR17/93W		
Tread wear rating:	280 minimum		
Traction rating:	Α		
Temperature rating:	A		
The price for the tire is to incluwith new valve stem and ALL and Goodyear		l of old tire, remounting and	speed balancing of new tire
Manufacturer	Model		Price each
BID ITEM #8 - ECD			
New radial passenger car tire tread, traction block tread, and		ester cord body, two full stee	l belts, dual compound
Tire size:	P205-65-R15		
Tread wear rating:	300 minimum		
Traction rating:	Α		
Temperature rating:	В		
The price for the tire is to inclu with new valve stem and ALL		al of old tire, remounting and	speed balancing of new tire
Goodyear			\$
Manufacturer	Model		Price each

New blackwall police pursuit steel belted radial tire with a speed rating of 130 mph min.

BID ITEM #9 – PS  New radial passenger car tire to consist of a tub tread, traction block tread, and radial construction	50 (#C	el belts, dual compound
Tire Size Tread wear Rating Traction Rating Temperature Rating	-P235-55 R17W -260 Minimum -A Minimum -A Minimum	
The price for the tire is to include: dismounting a with new valve stem and ALL applicable fees ar		d speed balancing of new tire
Goodyear		\$
Manufacturer Mode	el	Price each
New radial whitewall passenger tire to consist or compound all weather traction block, and radial  Tire Size Tread wear Rating Traction Rating Temperature Rating		two full steel belts, dual
The price for the tire is to include: dismounting a with new valve stem and ALL applicable fees ar		d speed balancing of new tire
Goodyear		\$
Manufacturer Mode	el	Price each
BID ITEM # 11 – PS - ECD  New blackwall steel belted light duty truck tire.		

Tire size:

P235-75-R15

Tread wear rating:

340 minimum

Traction rating:

Α

Temperature rating:

В

The price for the tire is to include: dismounting and disposal of old tire, remounting and speed balancing of new tire with new valve stem and ALL applicable fees and taxes.

Goodyear		\$
Manufacturer	Model	Price each

## BID ITEM #12 - PS - PW

Tire size: Tread wear rating: Traction rating: Temperature rating:	P235-70-R16 340 minimum A B		
The price for the tire is to includ with new valve stem and ALL ap		f old tire, remounting and	speed balancing of new tire
Goodyear			\$
Manufacturer	Model	-	Price each
BID ITEM #13 - PS			
New blackwall steel belted radia	al light duty truck tire.		
Tire size: Tread wear rating: Traction rating: Temperature rating:	LT 225-75-R16 M/S 340 minimum A B		
The price for the tire is to includ with new valve stem and ALL a		f old tire, remounting and	speed balancing of new tire
Goodyear			\$
Manufacturer	Model		Price each
BID ITEM #14 - PS			
New blackwall steel belted radia	al light duty truck tire.		
Tire size: Tread wear rating: Traction rating: A	LT 235-75-R16 M/S 340 minimum		
Temperature rating:	В		
The price for the tire is to includ with new valve stem and ALL a		of old tire, remounting and	speed balancing of new tire
Goodyear			\$
Manufacturer	Model		Price each

# BID ITEM #15 - PS

Tire size: Tread wear rating: Traction rating: Temperature rating:	LT 245-75-R16 M/S 340 minimum A B		
The price for the tire is to includ with new valve stem and ALL a		old tire, remounting and	speed balancing of new tire
Goodyear			\$
Manufacturer	Model		Price each
BID ITEM #16 - PM			
New blackwall steel belted radia	al light duty truck tire.		
Tire size: Tread wear rating: Traction rating: Temperature rating:	LT 245-75-R17 340 minimum A B		
The price for the tire is to includ with new valve stem and ALL a		old tire, remounting and	speed balancing of new tire
Goodyear			\$
Manufacturer	Model		Price each
BID ITEM #17 - PM			
New blackwall steel belted radio	al light duty truck tire.		
Tire size: Tread wear rating: Traction rating: Temperature rating:	LT 245-70-R17 340 minimum A B		
The price for the tire is to include with new valve stem and ALL a		f old tire, remounting and	speed balancing of new tire
Goodyear			\$
Manufacturer	Model		Price each

### BID ITEM #18 - PM

Tire size: Tread wear rating: Traction rating: Temperature rating:	LT 225-70-R19.5 340 minimum A B	
The price for the tire is to includ with new valve stem and ALL a		e, remounting and speed balancing of new tire
Goodyear		\$
Manufacturer	Model	Price each
BID ITEM #19 - PS		
New blackwall steel belted radia	al light duty truck tire.	
Tire size: Tread wear rating: Traction rating: Temperature rating:	LT 265-75-R16 M/S 340 minimum A B	
		e, remounting and speed balancing of new tire
with new valve stem and ALL a	pplicable fees and taxes.	
	oplicable fees and taxes.	\$
with new valve stem and ALL a Goodyear Manufacturer	Model	\$ Price each
Goodyear		MANAGEMENT OF THE PROPERTY OF
Goodyear Manufacturer	Model	MANAGEMENT OF THE PROPERTY OF
Goodyear Manufacturer BID ITEM #20 - PS	Model	MANAGEMENT OF THE PROPERTY OF
Goodyear  Manufacturer  BID ITEM #20 - PS  New blackwall steel belted radia  Tire size:  Tread wear rating:  Traction rating:  Temperature rating:	Model  Al light duty truck tire.  LT 285-75-R16 M/S 340 minimum A B  B: dismounting and disposal of old tire.	MANAGEMENT OF THE PROPERTY OF
Goodyear  Manufacturer  BID ITEM #20 - PS  New blackwall steel belted radia  Tire size:  Tread wear rating:  Traction rating:  Temperature rating:  The price for the tire is to include	Model  Al light duty truck tire.  LT 285-75-R16 M/S 340 minimum A B  B: dismounting and disposal of old tire.	Price each

## BID ITEM #21 - PS

Tire size: Tread wear rating: Traction rating: Temperature rating:	P265-75-R16 340 minimum A B		
The price for the tire is to include with new valve stem and ALL a		al of old tire, remounting and	speed balancing of new tire
Goodyear			\$
Manufacturer	Model		Price each
BID ITEM #22 – PS-PW-PR			
New blackwall steel belted rad	al light duty truck tire.		
Tire size: Tread wear rating: Traction rating: Temperature rating:	LT 245 75-R16 340 minimum A B		
The price for the tire is to incluwith new valve stem and ALL a		al of old tire, remounting and	speed balancing of new tire
Goodyear			\$
Manufacturer	Model		Price each
BID ITEM #23 –PW			
New blackwall steel belted rad	ial light duty truck tire.		
Tire size: Tread wear rating: Traction rating: Temperature rating:	LT 245 75-R17 340 minimum A B		
The price for the tire is to inclu with new valve stem and ALL		al of old tire, remounting and	speed balancing of new tire
Goodyear			\$
Manufacturer	Model		Price each

## BID ITEM #24 - PS

Tire size: Tread wear rating: Traction rating: Temperature rating:	LT 265 75-R16 340 minimum A B	
The price for the tire is to include with new valve stem and ALL a		d tire, remounting and speed balancing of new tire
Goodyear		\$
Manufacturer	Model	Price each
BID ITEM #25 - PS		
New blackwall steel belted radi	al light duty truck tire.	
Tire size: Tread wear rating: Traction rating: Temperature rating:	LT 285 75-R16 340 minimum A B	
The price for the tire is to include with new valve stem and ALL a		ld tire, remounting and speed balancing of new tire
Goodyear		\$
Manufacturer	Model	Price each
BID ITEM #26 - PS		
New blackwall steel belted tube	eless radial tire for medium duty tr	ruck tire, all-terrain tread tire design.
Tire size: Tread wear rating: Traction rating: Temperature rating:	10.50 x 31R 15 AT 340 minimum A B	
The price for the tire is to include with new valve stem and ALL a		ld tire, remounting and speed balancing of new tire
Goodyear		\$
Manufacturer	Model	Price each

#### BID ITEM #27 - PS-PW-PM

New radial light truck tire to consist of a tubeless polyester cord body, two full steel belts, dual compound traction block tread, and radial construction.

Tire Size	P225-75 R16	
Tread wear Rating	-250 Minimum	
Traction Rating Temperature Rating	-B Minimum -C Minimum	
remperature Rating	-C Millimani	
The price for each tire is to include: d tire with new valve stem and ALL app	ismounting and disposal of old tire, relational licable fees and taxes.	mounting and speed balancing of new
Goodyear		\$
Manufacturer	Model	Price each
BID ITEM #28 – PM		
New radial light truck tire to consist o block tread, and radial construction.	f a tubeless polyester cord body, two f	ull steel belts, dual compound tractior
Tire Size	P205-75 R14	
Tread wear Rating	-250 Minimum	
Traction Rating	-B Minimum	
Temperature Rating	-C Minimum	
The price for each tire is to include: d tire with new valve stem and ALL app	ismounting and disposal of old tire, re dicable fees and taxes.	mounting and speed balancing of nev
Goodyear		\$
Manufacturer	Model	Price each
BID ITEM #29 – PM  New radial light truck tire to consist o block tread, and radial construction.	f a tubeless polyester cord body, two f	ull steel belts, dual compound traction
Tire Size	P225-75 R15	
Tread wear Rating	-250 Minimum	
Traction Rating	-B Minimum	
Temperature Rating	-C Minimum	
The price for each tire is to include: d tire with new valve stem and ALL app	ismounting and disposal of old tire, re dicable fees and taxes.	mounting and speed balancing of nev
Goodyear		\$
Manufacturer	Model	Price each

### BID ITEM #30 - PM

New radial light truck tire to consist of a tubeless polyester cord boo	dy, two full steel belts, dual compound traction
block tread, and radial construction.	

	Tire Size	P215-75 R15	
	Tread wear Rating	-250 Minimum	
	Traction Rating	-B Minimum	
	Temperature Rating	-C Minimum	
	ce for each tire is to include: dismou new valve stem and ALL applicable	nting and disposal of old tire, remounting an e fees and taxes.	d speed balancing of new
Goodye	ear		\$
Manufa		Model	Price each
BID ITE	EM #31 – PR		
	dial light truck tire to consist of a tub ead, and radial construction.	eless polyester cord body, two full steel belt	s, dual compound traction
	Tire Size	P215-70 R15	
	Tread wear Rating	-250 Minimum	
	Traction Rating	-B Minimum	
	Temperature Rating	-C Minimum	
	ce for each tire is to include: dismou new valve stem and ALL applicable	inting and disposal of old tire, remounting ar e fees and taxes.	nd speed balancing of new
	new valve stem and ALL applicable		nd speed balancing of new
tire with	new valve stem and ALL applicable		\$ Price each
Goodye Manufa  BID ITE	n new valve stem and ALL applicable ear cturer  EM #32 – PW	e fees and taxes.	\$ Price each
Goodye Manufa  BID ITE	ear ecturer  EM #32 – PW  dial light truck tire to consist of a tube ead, and radial construction.	Model  beless polyester cord body, two full steel belt	\$ Price each
Goodye Manufa  BID ITE	ear cturer  M #32 – PW  dial light truck tire to consist of a tube ead, and radial construction.	Model  Peless polyester cord body, two full steel belt	\$ Price each
Goodye Manufa  BID ITE	ear ecturer  EM #32 – PW  dial light truck tire to consist of a tube ead, and radial construction.  Tire Size Tread wear Rating	Model  beless polyester cord body, two full steel belt	\$ Price each
Goodye Manufa  BID ITE	ear cturer  M #32 – PW  dial light truck tire to consist of a tube ead, and radial construction.	Model  Peless polyester cord body, two full steel belt  P225-70 R15 -250 Minimum	\$ Price each
Goodye Manufa  BID ITE New rac block tr	ear ecturer  EM #32 – PW  dial light truck tire to consist of a tube ead, and radial construction.  Tire Size Tread wear Rating Traction Rating Temperature Rating	P225-70 R15 -250 Minimum -B Minimum -C Minimum and disposal of old tire, remounting ar	Price each s, dual compound traction

Goodyear\$ManufacturerModelPrice each

## BID ITEM 33 - PW

New radial light truck tire to consist of a tubeless polyester cord body, two	full steel belts, dual compound traction
block tread, and radial construction.	

Tire Size		
	P245-75 R16	
Tread wear Rating	-250 Minimum	
Traction Rating	-B Minimum	
	-C Minimum	
Temperature Rating	-C Minimum	
The price for each tire is to include: dism tire with new valve stem and ALL applica	ounting and disposal of old tire, remounting	and speed balancing of new
the with new valve stern and ALL applica	ble lees and taxes.	
Goodyear		\$
Manufacturer	Model	Price each
Wallardard	Wodol	1 1100 00011
BID ITEM 34 - PW		
	ubeless polyester cord body, two full steel l	pelts, dual compound traction
block tread, and radial construction.		
Tire Size	P235-75 R16	
Tread wear Rating	-250 Minimum	
Traction Rating	-B Minimum	
Temperature Rating	-C Minimum	
3 3 3 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3		
The price for each tire is to include: dism	ounting and disposal of old tire, remounting	and speed balancing of new
tire with new valve stem and ALL applica		, <b>J</b>
[1		
Goodyear		\$
Goodyear Manufacturer	Model	\$ Price each
	Model	Price each
Manufacturer	Model	Price each
	Model	Price each
Manufacturer BID ITEM 35 IT		
Manufacturer BID ITEM 35 IT	Model  subeless polyester cord body, two full steel	
Manufacturer  BID ITEM 35 IT  New radial light truck tire to consist of a t		
Manufacturer  BID ITEM 35 IT  New radial light truck tire to consist of a tblock tread, and radial construction.	ubeless polyester cord body, two full steel	
Manufacturer  BID ITEM 35 IT  New radial light truck tire to consist of a toblock tread, and radial construction.  Tire Size	subeless polyester cord body, two full steel	
Manufacturer  BID ITEM 35 IT  New radial light truck tire to consist of a toblock tread, and radial construction.  Tire Size  Tread wear Rating	ubeless polyester cord body, two full steel P245-65 R17 -250 Minimum	
Manufacturer  BID ITEM 35 IT  New radial light truck tire to consist of a toblock tread, and radial construction.  Tire Size  Tread wear Rating  Traction Rating	P245-65 R17 -250 Minimum -B Minimum	
Manufacturer  BID ITEM 35 IT  New radial light truck tire to consist of a toblock tread, and radial construction.  Tire Size  Tread wear Rating	ubeless polyester cord body, two full steel P245-65 R17 -250 Minimum	
Manufacturer  BID ITEM 35 IT  New radial light truck tire to consist of a tablock tread, and radial construction.  Tire Size  Tread wear Rating  Traction Rating  Temperature Rating	P245-65 R17 -250 Minimum -B Minimum -C Minimum	belts, dual compound traction
Manufacturer  BID ITEM 35 IT  New radial light truck tire to consist of a toblock tread, and radial construction.  Tire Size  Tread wear Rating  Traction Rating  Temperature Rating  The price for each tire is to include: dism	P245-65 R17 -250 Minimum -B Minimum -C Minimum	belts, dual compound traction
Manufacturer  BID ITEM 35 IT  New radial light truck tire to consist of a tablock tread, and radial construction.  Tire Size  Tread wear Rating  Traction Rating  Temperature Rating	P245-65 R17 -250 Minimum -B Minimum -C Minimum	belts, dual compound traction
Manufacturer  BID ITEM 35 IT  New radial light truck tire to consist of a toblock tread, and radial construction.  Tire Size  Tread wear Rating  Traction Rating  Temperature Rating  The price for each tire is to include: dism	P245-65 R17 -250 Minimum -B Minimum -C Minimum	belts, dual compound traction

## BID ITEM 36 - PW

Manufacturer

New radial light truck tire to consist of a tubeless polyester cord body, two full steel belts, dual compound traction block tread, and radial construction.

blook tread, and radial constitution.		
Tire Size Tread wear Rating Traction Rating Temperature Rating	P205-75 R15 -250 Minimum -B Minimum -C Minimum	
The price for each tire is to include: dismounti tire with new valve stem and ALL applicable for		d speed balancing of new
Goodyear		\$
Manufacturer Mo	del	Price each
BID ITEM 37 – PW  New radial light truck tire to consist of a tubeled block tread, and radial construction.	ss polyester cord body, two full steel belt	s, dual compound traction
Tire Size Tread wear Rating Traction Rating Temperature Rating The price for each tire is to include: dismounti	P215-75 R16 -250 Minimum -B Minimum -C Minimum ng and disposal of old tire, remounting ar	nd speed balancing of new
tire with new valve stem and ALL applicable for	ees and taxes.	
Goodyear		\$
Manufacturer Mo	del	Price each
BID ITEM 38 – PW  New radial light truck tire to consist of a tubeled block tread, and radial construction.	ess polyester cord body, two full steel belt	s, dual compound traction
Tire Size Tread wear Rating Traction Rating Temperature Rating	P215-60 R16 -250 Minimum -B Minimum -C Minimum	
The price for each tire is to include dismounti	ag and disposal of old tire, remounting or	nd anood halanaina of naw
The price for each tire is to include: dismounti tire with new valve stem and ALL applicable for		nd speed balancing of new
· ·		nd speed balancing of new \$

Model

Price each

BID ITEM 39 - PW		
100 CONTROL OF THE CO	f a tubeless polyester cord body, two f	ull steel belts, dual compound traction
block tread, and radial construction.		
Tire Size	P255-70 R16	
Tread wear Rating	-250 Minimum	
Traction Rating	-B Minimum	
Temperature Rating	-C Minimum	
The price for each tire is to include: dire with new valve stem and ALL app	lismounting and disposal of old tire, readlicable fees and taxes.	mounting and speed balancing of new
Goodyear		\$
Manufacturer	Model	Price each
BID ITEM 40 - PS-PW		
New radial light truck tire to consist o block tread, and radial construction.	f a tubeless polyester cord body, two f	ull steel belts, dual compound traction
Tire Size	P235-75 R15	
Tread wear Rating	-250 Minimum	
Traction Rating	-B Minimum	
Temperature Rating	-C Minimum	
The price for each tire is to include: of tire with new valve stem and ALL app	dismounting and disposal of old tire, relablicable fees and taxes.	mounting and speed balancing of new
Goodyear		\$
Manufacturer	Model	Price each
BID ITEM 41 - PS		
New radial medium truck tire to cons traction block tread.	ist of a tubeless polyester cord body, t	wo full steel belts, dual compound
Tire Size	LT215-85 R16	

Tire Size LT215-85 R16
Tread wear Rating -250 Minimum
Traction Rating -B Minimum
Temperature Rating -C Minimum

The price for the tire is to include: dismounting and disposal of old tire, remounting and speed balancing of new tire with new valve stem and ALL applicable fees and taxes.

Goodyear		\$
Manufacturer	Model	Price each

#### BID ITEM #42 - PS-PR

Goodyear Manufacturer

New radial medium truck tire to consist of a tubeless polyester cord body, two full steel belts,	dual compound
traction block tread	

Tire Size LT225-75 R16 Tread wear Rating -250 Minimum Traction Rating -B Minimum Temperature Rating -C Minimum The price for the tire is to include: dismounting and disposal of old tire, remounting and speed balancing of new tire with new valve stem and ALL applicable fees and taxes. Goodyear Manufacturer Model BID ITEM #43 - PS New blackwall steel belted radial light duty truck tire. Tire size: LT 255-75-R16 M/S Tread wear rating: 340 minimum Traction rating: Α Temperature rating: В The price for the tire is to include: dismounting and disposal of old tire, remounting and speed balancing of new tire with new valve stem and ALL applicable fees and taxes. Goodyear Manufacturer Model BID ITEM #44 - PS New radial medium truck tire to consist of a tubeless polyester cord body, two full steel belts, dual compound traction block tread. LT245-75RX16E Tire Size Tread wear Rating -250 Minimum Traction Rating -B Minimum Temperature Rating -C Minimum The price for the tire is to include: dismounting and disposal of old tire, remounting and speed balancing of new tire with new valve stem and ALL applicable fees and taxes.

Model

Tire size: Tread wear rating: Traction rating: Temperature rating:	LT 235-85-R16 M/S	
The price for the tire is to include with new valve stem and ALL approximately approxi	e: dismounting and disposal of old tire, remounting oplicable fees and taxes.	g and speed balancing of new tire
Goodyear		\$
Manufacturer	Model	Price each
BID ITEM # 46 - PS:		
New blackwall police pursuit ste	el belted radial tire with a speed rating of 130 mpl	n min.
Tire size: Tread wear rating: Traction rating:	P265-70-R16 240 minimum A	
Temperature rating:	A	
The price for the tire is to include with new valve stem and ALL approximately approxi	e: dismounting and disposal of old tire, remounting oplicable fees and taxes.	g and speed balancing of new tire
Goodyear		\$
Manufacturer	Model	Price each
BID ITEM # 47 - PS:		
New blackwall police pursuit ste	el belted radial tire with a speed rating of 130 mpl	n min.
Tire size:	P225-60-R18	
Tread wear rating: Traction rating:	240 minimum	
Temperature rating:	A A	
The price for the tire is to include with new valve stem and ALL ap	e: dismounting and disposal of old tire, remounting oplicable fees and taxes.	g and speed balancing of new tire

Model

Price each

BID ITEM #45 – PS-PW
New blackwall steel belted radial light duty truck tire.

Manufacturer

#### **BID ITEM # 48 - PS:**

Tire size: Tread wear rating: Traction rating:	P265-70-R17 240 minimum A		
Temperature rating:	A		
The price for the tire is to incluwith new valve stem and ALL a		osal of old tire, remounting and	speed balancing of new tire
Goodyear			\$
Manufacturer	Model		Price each
BID ITEM # 49 - PS:			
New blackwall police pursuit st	eel belted radial tire with a	a speed rating of 130 mph min.	
Tire size: Tread wear rating: Traction rating: Temperature rating:	P265-60-R18 240 minimum A A		
The price for the tire is to inclu with new valve stem and ALL a		osal of old tire, remounting and	speed balancing of new tire
Goodyear			\$
Manufacturer	Model		Price each
BID ITEM #50-PW New blackwall steel belted rad	ial light duty truck tire.		
Tire size:	LT245-75-R16		
Tread wear rating:	340 minimum		
Traction rating: Temperature rating:	A B		
The price for the tire is to inclu with new valve stem and ALL a		osal of old tire, remounting and	speed balancing of new tire
Goodyear			\$
Manufacturer	Model	<del></del>	Price each

New blackwall police pursuit steel belted radial tire with a speed rating of 130 mph min.

Tire size: Tread wear rating: Traction rating: Temperature rating:	LT225-65-R16 340 minimum A B	
The price for the tire is to include with new valve stem and ALL a	V <del></del>	of old tire, remounting and speed balancing of new tire
Goodyear		\$
Manufacturer	Model	Price each
BID ITEM #52-PW New blackwall steel belted radi	al light duty truck tire.	
Tire size:	P255-70-R17	
Tread wear rating:	340 minimum	
Traction rating: Temperature rating:	A B	
The price for the tire is to include with new valve stem and ALL a		I of old tire, remounting and speed balancing of new tire
Goodyear		\$
Manufacturer	Model	Price each
BID ITEM #53-PS  New radial passenger car tire to tread, traction block tread, and .		ster cord body, two full steel belts, dual compound
Tire size:	P265-60-R17	
Tread wear rating:	340 minimum	
Traction rating:	Α	
Temperature rating:	В	
The price for the tire is to include with new valve stem and ALL a		l of old tire, remounting and speed balancing of new tire
Goodyear		\$
Manufacturer	Model	Price each

BID ITEM #51-PR
New blackwall steel belted radial light duty truck tire.

BID ITEM #54 Two wheel front-end alignment for all cars & trucks.		
	Price each	\$
BID ITEM #55		
Four wheel alignment for all cars & trucks.		
	Price each	\$
BID ITEM #56		
Passenger and small truck flat repairs at vendor's location		
	Price each	\$
BID ITEM #57		
Road service call charge for any of the above work provide vendor's work location per trip (not per tire).	ed within the City of North Au	gusta in lieu of at the
Price each		\$
BID ITEM #58		
Other Tire Sizes as needed:		

Price each

Material cost plus

## **BID PROPOSAL**

We propose to provide the following items as specified in the above specifications at the prices stated below.

BID ITEM#	MANUFACTURER	MODEL	SIZE	PRICE (EACH)
1 – PS	Goodyear		P225-60-R16	
2 – PS	Goodyear		P195-70-R14	-
3 – PS	Goodyear		P225-60-R16	
4 – PS	Goodyear		P235-70-R15	
5 - PS	Goodyear		P235-55-R17	
6 - PS	Goodyear		P205-50-R17	
7 - PS	Goodyear		P205-50-ZR17/93W	
8 – ECD	Goodyear		P205-65-R15	
9 – PS	Goodyear		P235-55-R17 W	
10 – PS	Goodyear		P235-75-R15	
11 – PS-ECD	Goodyear		P235-75-R15	
12 – PS-PW	Goodyear		P235-70-R16	
13 – PS	Goodyear		LT225-75-R16 M/S	
14 – PS	Goodyear		LT235-75-R16 M/S	
15 – PS	Goodyear		LT245-75-R16 M/S	
16 – PM	Goodyear		LT245-75-R17	
17 – PM	Goodyear		LT245-70-R17	

Signature of Authorized Representative	Print/Type Name of Authorized Representative

	MANUFACTURER	MODEL	SIZE	PRICE
BID ITEM#				(EACH)
18 – PM	Goodyear		LT225-70-R19.5	
19 – PS	Goodyear		LT265-75-R16 M/S	
20 – PS	Goodyear		LT285-75-R16 M/S	
21 – PS	Goodyear		P265-75-R16	
22 – PS-PW-PR	Goodyear		LT245-75-R16	
23 – PW	Goodyear		LT245-75-R17	
24 – PS	Goodyear		LT265-75-R16	
25 – PS	Goodyear		LT285-75-R16	
26 – PS	Goodyear		10.50x31R 15AT	
27 – PS-PW-PM	Goodyear		P225-75-R16	
28 – PM	Goodyear		P205-75-R14	
29 – PM	Goodyear		P225-75-R15	
30 – PM	Goodyear		P215-75-R15	
31 – PR	Goodyear		P215-70-R15	
32 – PW	Goodyear		P225-70-R15	
33 – PW	Goodyear		P245-75-R16	
34 – PW	Goodyear		P235-75-R16	
35 – IT	Goodyear		P245-65-R17	
36 – PW	Goodyear		P205-75-R15	
37 – PW	Goodyear		P215-75-R16	

BID ITEM#	MANUFACTURER	MODEL	SIZE	PRICE
				(EACH)
38 – PW	Goodyear		P215-60-R16	
39 – PW	Goodyear		P255-70-R16	
40 – PS-PW	Goodyear		P235-75-R15	
41 – PS	Goodyear		LT215-85-R16	
42 – PS-PR	Goodyear		LT225-75-R16	
43 – PS	Goodyear		LT255-75-R16 M/S	
44 – PS	Goodyear		LT245-75RX16E	
45 – PS-PW	Goodyear		LT235-85-R16 M/S	
46-PS	Goodyear		P265-70-R16	
47-PS	Goodyear		P225-60-R18	
48-PS	Goodyear		P265-70-R17	
49-PS	Goodyear		P265-60-R18	
50-PW	Goodyear		LT245-75-R16	
51-PR	Goodyear		LT225-65-R16	
52-PW	Goodyear		P225-70-R17	
53-PS	Goodyear		P265-60-R17	
54	Two wheel front alignment			
55	Four wheel alignment			
56	Passenger and small truck flat repairs			
57	Road service call charge performed within the city of North Augusta (per trip)			
58	Other tire sizes as needed (material cost plus )			

Above bid submitted by:

Signature of Authorized Representative	Print/Type Name of Authorized Representative